



ELSEVIER

 JOURNAL OF
**ADOLESCENT
 HEALTH**

www.jahonline.org

Original article

Incidence of School Failure According to Baseline Leisure-Time Physical Activity Practice: Prospective Study

Airton J. Rombaldi, Ph.D.^{a,b,c,*}, Valerie L. Clark, M.Sc.^b, Felipe F. Reichert, Ph.D.^{a,b,c},
 Cora L.P. Araújo, Ph.D.^a, Maria C. Assunção, Ph.D.^a, Ana M.B. Menezes, Ph.D.^a,
 Bernardo L. Horta, Ph.D.^a, and Pedro C. Hallal, Ph.D.^{a,b,c}

^a Postgraduate Program in Epidemiology, Universidade Federal de Pelotas, Pelotas, Brazil

^b Physical Activity Epidemiology Research Group, Universidade Federal de Pelotas, Pelotas, Brazil

^c Postgraduate Program in Physical Education, Universidade Federal de Pelotas, Pelotas, Brazil

Article history: Received January 23, 2012; Accepted June 26, 2012

Keywords: School achievement; Adolescents; Cohort; Physical activity

A B S T R A C T

Purpose: To evaluate the prospective association between leisure-time physical activity practice at 11 years of age and incidence of school failure from 11 to 15 years of age.

Methods: The sample comprised >4,300 adolescents followed up from birth to 15 years of age participating in a birth cohort study in Pelotas, Brazil. The incidence of school failure from age 11 to 15 years was calculated by first excluding from the analyses all subjects who experienced a school failure before 11 years of age, and then categorizing as “positive” all those who reported repeating a grade at school from 11 to 15 years of age. Leisure-time physical activity was measured using a validated questionnaire.

Results: The incidence of school failure was 47.9% among boys and 38.2% among girls. Adolescents in the top quartile of leisure-time physical activity practice at 11 years of age had a higher likelihood of school failure (OR: 1.36; 95% CI: 1.06, 1.75) compared with the least active adolescents. In adjusted analyses stratified by sex, boys in the top quartile of leisure-time physical activity practice at 11 years of age were also more likely to have failed at school from age 11 to 15 years (OR: 1.60; 95% CI: 1.09, 2.33).

Conclusions: Adolescents allocating >1,000 min/wk to leisure-time physical activity were more likely to experience a school failure from 11 to 15 years of age. Although this finding does not advocate against physical activity promotion, it indicates that excess time allocated to physical activity may jeopardize school performance among adolescents.

© 2012 Society for Adolescent Health and Medicine. All rights reserved.

IMPLICATIONS AND CONTRIBUTION

Although adolescent physical activity provides several short and long-term benefits for health, adolescents allocating 2.5 hr/d to leisure-time physical activity practice are more likely to experience school failures, thus suggesting that excess time allocated to physical activity may jeopardize school performance.

Regular physical activity in adolescence has both short- and long-term benefits for health, including reducing the risk of being overweight, obesity, and many diseases [1,2]. In the long-term, bones and skeletal muscles of active adolescents become stronger owing to increases in muscular strength and resistance as compared with inactive adolescents [3]. Also, physical activity in adolescence relates to positive self-esteem and the reduction of stress and anxiety [1]. Besides known physiological effects

resulting from physical activity practice, there is evidence that fitness may influence academic achievement in children and adolescents [4,5]. Experimental studies have demonstrated that physical activity interventions might be used to improve cognitive and behavioral functions, especially in children [6,7]. The hypothesis considering the existence of this association is old, but its systematic investigation is relatively recent. However, most studies used a cross-sectional design to test this association, thus limiting our understanding of causality [8,9].

A possible association between physical activity indicators and school performance might be because of two different explanations. First, if physical activity biologically results in better

* Address correspondence to: Airton J Rombaldi, Ph.D., Universidade Federal de Pelotas, Rua Luiz de Camões 625, 96055-630, Pelotas, Brazil.
 E-mail address: rombaldi@brturbo.com.br (A.J. Rombaldi).




Figure 1. Incidence of school failure according to quartiles of parental schooling.

cognitive performance, a positive association between physical activity and school performance is to be expected. On the other hand, excess time dedicated to physical activity may damage academic performance [10–12], not through a biological mechanism, but simply owing to lack of time for studying.

The aim of our study was to evaluate the prospective association between leisure-time physical activity at 11 years of age and incidence of school failure from 11 to 15 years of age. Our primary hypothesis was that physical activity practice within the recommended level of 300 min/wk will not have a detrimental impact on school performance throughout adolescence.

Methods

Pelotas (population 320,000 inhabitants) is located in southern Brazil in a relatively developed part of the country. In 1993, a birth cohort study was initiated in the city. Mothers of all hospital-born children, representing >99% of all deliveries in Pelotas, ($n = 5,265$) were invited to join the study. More than 99% ($n = 5,249$) of mothers agreed to participate in the study. Since 1993, the national mortality system has been regularly monitored, and deaths of cohort members are linked to the study database. Mothers were interviewed soon after delivery on family characteristics, gestation-related variables, and behavior. Socioeconomic status was evaluated using an assets index. It included questions on the possession (and quantity) of household assets, such as television, radio, air conditioning, phone lines, fridge, among others, and a standardized procedure was used to generate a continuous score through principal component analysis that was later divided into quintiles. Parental education was expressed in years of schooling.

In 2004–2005, we conducted a follow-up visit to all participants of the cohort. We were able to locate 4,452 participants, which represent 87.5% of the cohort taking into account the 141 subjects known to have died. In 2008, another wave of data collection was conducted, and we were able to locate 4,325 cohort members. In both visits, participants were reimbursed for any transportation or food expenses, but no other incentives were given for taking part in the follow-up visits. A detailed description of the cohort has been published elsewhere [13].

Transport and leisure-time physical activity were measured using a validated questionnaire [14]. The questionnaire initially asks about the primary mode of transportation to and from school. A list of several culturally relevant leisure-time physical activities, including sports, was later shown to participants, and they were asked whether they have practiced those activities over the past week. For each positive answer, information on

weekly frequency and duration was obtained. Frequency was multiplied by time, generating a weekly score for each activity; later the scores were summed, producing a leisure-time physical activity score. For this analysis, we opted to ignore commuting time for three main reasons: (a) a large proportion of total physical activity in this age-group in Brazil is practiced in the transportation to and from school [14]; (b) transport-related physical activity at this age is much more a matter of poverty than a choice in Brazil [15]; and (c) the intensity of walking or cycling to school tends to be low [16]. The continuous score of leisure-time physical activity was transformed into quartiles for the analysis.

The reliability and concurrent validity of the physical activity questionnaire were tested in a previous study [14]. Its reliability was good ($\rho = .62$; $p < .001$); 73% of the subjects were classified consistently in a 7-day test–retest exercise. The kappa value was .58. The concurrent validity of the questionnaire was tested against pedometers; the Spearman correlation coefficient was .26 ($p = .02$), and 57% of the subjects were classified consistently as physically inactive in the questionnaire and with pedometers (using a cutoff point of 10,000 steps/d).

School failure was defined as having ever repeated a grade at school. We calculated the incidence of school failure from age 11 to 15 years by first excluding from the analyses all subjects who experienced a school failure before 11 years of age, and then categorizing as “positive” all those who reported failing at school from age 11 to 15 years. This strategy was used owing to the basic cohort study principle that subjects should be disease-free at baseline.

School failure was analyzed as a dichotomous variable (yes vs. no). Confounding variables were sex, parental schooling, family assets index, type of school, age at school entry, and child labor (yes vs. no). These variables were selected because the literature search indicated a possible association with both the outcome and the exposure variable.

Analyses were conducted using Stata 11.0 (StataCorp LP, College Station, TX). First, we calculated the proportion of school failure according to quartiles of maternal and paternal schooling. Second, we explored the association between physical activity and socioeconomic position. These analyses were carried out to understand the confounding structure of our data. The main analyses included estimating odds ratios for having experienced a school failure between 11 and 15 years of age according to leisure-time physical activity indicators at 11 years of age. Finally, we stratified the association between sports practice and school failure by gender due to a significant interaction.

All phases of the 1993 Pelotas (Brazil) Birth Cohort Study obtained institutional review board approval. Written informed




Figure 2. Proportion of adolescents in the least active quartile of leisure-time physical activity according to quintiles of the assets index.

Table 1

Unadjusted and adjusted associations between leisure-time physical activity at 11 years of age and incidence of school failure from 11 to 15 years

Leisure-time physical activity practice at 11 years (quartiles)	Unadjusted analyses		Adjusted analyses ^a	
	OR (95% CI)	<i>p</i>	OR (95% CI)	<i>p</i>
1st (mean 5.8 min/wk)	1.00		1.00	
2nd (mean 92.8 min/wk)	1.04 (.84, 1.29)	.71	1.11 (.87, 1.41)	.40
3rd (mean 247.5 min/wk)	1.07 (.86, 1.33)	.54	1.11 (.87, 1.43)	.40
4th (mean 1,009.0 min/wk)	1.27 (1.02, 1.58)	.03	1.36 (1.06, 1.75)	.01

CI = confidence interval; OR = odds ratio.

^a Adjusted for sex, maternal and paternal schooling, and family assets index.

consent was signed by mothers or guardians in all visits, and verbal consent was given by adolescents at the 11- and 15-year-old follow-up visits.

Results

Individuals followed at 11 and 15 years ($N = 4,317$) of age were similar to the remaining cohort members ($N = 932$) in terms of sex and parental schooling. At the age 15-year follow-up visit, 48.9% of the subjects were male, 22% had a paid job over the past 12 months, 18% had ever smoked, and 8% were obese. Of 4,410 cohort members with data on schooling levels at 11 years of age, 1,653 (37.5%) had already experienced school failure at that age. These individuals were therefore excluded from the prospective analysis on the incidence of school failure. Of the remaining 2,757 participants, we were able to locate 2,657 at 15 years of age. From the latter, 1,128 (42.5%) experienced school failure between 11 and 15 years of age.

The incidence of school failure was 47.9% among boys and 38.2% among girls. Parental schooling at birth was linearly related to the incidence of school failure in adolescence (Figure 1). Figure 2 presents the proportion of adolescents classified in the least active group (bottom quartile) of leisure-time physical activity according to quintiles of the family assets index. No clear association was found between leisure-time physical activity and quintiles of the assets index.

Table 1 presents the unadjusted and adjusted associations between baseline leisure-time physical activity and incidence of school failure. In the unadjusted analyses, there was a dose-response positive association between leisure-time physical activity and school failure. After adjustment for confounders, especially socioeconomic indicators, the trend was no longer observed. However, those in the top quartile of leisure-time physical activity at 11 years of age have a higher likelihood of school failure (OR: 1.36; 95% CI: 1.06, 1.75).

Table 2 presents the adjusted associations between baseline leisure-time physical activity and incidence of school failure according to sex. After adjustment for the confounders, socioeconomic indicators and parental schooling, boys in the top quartile

of leisure-time physical activity at 11 years of age were more likely to fail at school between 11 and 15 years of age (OR: 1.60; 95% CI: 1.09, 2.33).

Discussion

Evaluating the association between physical activity and school performance is challenging owing to the complex confounding structure. Parental schooling is one of the most important determinants of academic achievement. At the same time, total physical activity is more frequent among those whose parents have lower education levels because of higher engagement in commuting activities. Therefore, it is expected that in the unadjusted analyses using total physical activity as the exposure, those more active (whose parents are less educated) will be more likely to have experienced failures at school, in part owing to their parents' lower schooling levels. This is why we decided not to analyze total physical activity and instead focus on leisure-time physical activity only. Our comprehensive adjustment for socioeconomic indicators (e.g., parental schooling, assets index) eliminates part of the possible confounding role of socioeconomic position on the association investigated here. Nevertheless, the possibility of residual confounding cannot be ruled out. Also, other variables that might affect school repetition were not addressed, such as type of activities performed, cultural values and norms, peer influences, among others [16].

Previous research has reported a relationship between physical activity indicators and learning or academic success [4–7,17–19] among children and adolescents. Studies indicated that replacing academic learning sessions with physical activity did not have a detrimental impact on school performance [20,21]. Evidence has also suggested that achieving a threshold amount of physical activity may be necessary to acquire learning benefits [22], and that participation in vigorous-intensity physical activity may further enhance learning [23].

Other studies have found that participation in sports has a positive association with academic outcomes, such as higher grade point averages in both boys and girls in early and late

Table 2

Adjusted associations between leisure-time physical activity at 11 years of age and incidence of school failure from 11 to 15 years according to sex

Leisure-time physical activity practice at 11 years (quartiles)	Boys ^a		Girls ^a	
	OR (95% CI)	<i>p</i>	OR (95% CI)	<i>p</i>
1st (mean 5.8 min/wk)	1.00		1.00	
2nd (mean 92.8 min/wk)	1.32 (.88, 1.98)	.18	1.02 (.76, 1.37)	.90
3rd (mean 247.5 min/wk)	1.45 (.98, 2.15)	.06	.93 (.67, 1.30)	.68
4th (mean 1,009.0 min/wk)	1.60 (1.09, 2.33)	.01	1.27 (.90, 1.80)	.17

^a Adjusted for maternal and paternal schooling and family assets index.

adolescence, higher retention rates, and less absenteeism, among other predictors of success in school [24–27].

Our study showed that leisure-time physical activity practice >1,000 min/wk increased the incidence of school failure by 36%; this association was stronger in boys than in girls. This finding points to time allocation as a determinant of school achievements. Our top quartile had a mean daily allocation of 2.5 hours of leisure-time physical activity. If we assume that around 4 hr/d are spent at school in Brazil, then 6.5 hours of the day are scheduled. When time spent in front of screens (approximately 5 hr/d in this cohort) (Dumith S.C., et al, unpublished data, 2011), sleeping (approximately 8 hr/d in this cohort) [28], and eating are added, it is possible these individuals did not have adequate time to study. Furthermore, because of the lack of measurement of cognitive performance in these adolescents, our findings should not be interpreted as evidence of a negative influence of leisure-time physical activity on cognition. In fact, it seems time allocation could be the main explanation for our findings.

Previous studies have found analogous results [10,11,29]. One of these studies, for example, showed that the need for more study time was the main reason for sports dropout [10]. Another study suggested that school teachers tried to create mechanisms to reduce the academic thresholds for those involved in sports, clearly assuming that adolescents practicing sports would be unable to achieve standard school performance [11].

An important methodological aspect to be considered is the fact that previous research often asks about physical activity or sports participation dichotomously, and therefore could not evaluate the role of the tail of the distribution (i.e., excessive physical activity practice). In fact, if our variable were dichotomous, we would also fail to find associations because the first three quartiles did not differ significantly from each other. Therefore, we suggest that future studies in this field include continuous variables about leisure-time physical activity so the different extremes of the variables can be analyzed separately.

Our findings do not refute a possible biological association between physical activity practice and enhanced cognitive ability. Previous studies have suggested that participation in different sources of physical activity, including physical education, physical activity in recess time, and sports practice [24,30–34], is likely to benefit academic performance and include improvements in the acquisition of motor abilities. Our article adds to this knowledge by showing that there is likely a threshold for that, and excess time spent on physical activity can also have a detrimental effect.

In summary, adolescents allocating >1,000 min/wk to leisure-time physical activity are more likely to experience a school failure from 11 to 15 years of age. This finding has important public health consequences. Adopting policies similar to the “No Pass, No Play” rule currently used in several places in the United States could be a tactic to overcome the problem detected in our analyses of Brazilian adolescents. Although approaches aimed at restricting physical activity participation based on academic achievement have some negative consequences [35], this type of strategy has also been shown to improve academic outcomes, such as the reduction of school dropout rates and increased graduation rates [36]. Care should be exercised before extrapolating our findings to other settings, particularly because in Brazil adolescents typically spend only 4 hours in school, which is different from other parts of the world. However, even if the threshold happens to be different in other countries, it would be important to test whether those allocating

too much time in leisure-time physical activity will have worst academic performance.

Acknowledgments

The cohort study is supported by the Wellcome Trust. The initial phases of the cohort were funded by the European Union and the Brazilian National Program for Centers of Excellence (Programa Brasileiro de Apoio a Núcleos de Excelência [PRONEX]), National Research Council (Conselho Nacional de Pesquisa e Desenvolvimento [CNPq]), and Ministry of Health. None of these organizations influenced the study design; the collection, analysis, and interpretation of data; the writing of the report; or the decision to submit the manuscript for publication.

References

- [1] Physical Activity Guidelines Advisory Committee. Physical Activity Guidelines Advisory Committee Report, 2008. Washington, DC: U.S. Department of Health and Human Services, 2008.
- [2] Collingwood TR, Sunderlin J, Reynolds R, Kohl HW. Physical training as a substance abuse prevention intervention for youth. *J Drug Educ* 2000;30:435–51.
- [3] Twisk JWR. Physical activity guidelines for children and adolescents: A critical review. *Sports Med* 2001;31:617–27.
- [4] Chomitz VR, Slining MM, McGowan RJ, et al. Is there a relationship between physical fitness and academic achievement? Positive results from public school children in the northeastern United States. *J Sch Health* 2009;79:30–7.
- [5] Wittberg RA, Northrup KL, Cottrel L. Children's physical fitness and academic performance. *Am J Health Educ* 2009;40:30–6.
- [6] Hill L, Williams JHG, Aucott L, et al. Exercising attention within the classroom. *Dev Med Child Neurol* 2010;52:929–34.
- [7] Budde H, Voelcker-Rehage C, Pietrabayk-Kendziorra S, et al. Acute coordinative exercise improves attentional performance in adolescents. *Neurosci Lett* 2008;441:219–23.
- [8] Centers for Disease Control and Prevention. The Association between school based physical activity, including physical education, and academic performance. Atlanta, GA: U.S. Department of Health and Human Services, 2010.
- [9] Barnett AL. Benefits of exercise on cognitive performance in schoolchildren. *Dev Med Child Neurol* 2011;53:580.
- [10] Hallal PC, Nascimento RR, Hackbart L, et al. Interventions factors related to futsal dropout among adolescents. *Rev Bras Ci e Mov* 2004;12:27–32.
- [11] Rocha HPA, Bartholo TL, Melo LBS, et al. Young sportsmen: Professionalization in soccer and formation in school. *Motriz* 2011;17:252–63.
- [12] Pate RR, Davis MG, Robinson TN, et al. Promoting physical activity in children and youth: A leadership role for schools: A scientific statement from the American Heart Association Council On Nutrition, Physical Activity, and Metabolism (Physical Activity Committee) in collaboration with the Councils on Cardiovascular Disease in the Young and Cardiovascular Nursing. *Circulation* 2006;114:1214–24.
- [13] Victora CG, Araújo CL, Menezes AM, et al. Methodological aspects of the 1993 Pelotas (Brazil) birth cohort study. *Rev Saude Publica* 2006;40:39–46.
- [14] Bastos JP, Araujo CL, Hallal PC. Prevalence of insufficient physical activity and associated factors in Brazilian adolescents. *J Phys Act Health* 2008;5:777–94.
- [15] Hallal PC, Bertoldi AD, Gonçalves H, Victora CG. Prevalence of sedentary lifestyle and associated factors in adolescents aged 10–12 years of age. *Cad Saude Pública* 2006;22:1277–87.
- [16] Hallal PC, Wells JC, Reichert FF, et al. Early determinants of physical activity in adolescence: Prospective birth cohort study. *BMJ* 2006;332:1002–5.
- [17] Mays D, Thompson N, Kushner HI, et al. Sports-specific factors, perceived peer drinking, and alcohol-related behaviors among adolescents participating in school-based sports in Southwest Georgia. *Addict Behav* 2010;35:235–41.
- [18] Martin K. Improved learning through physical activity. In: Department of Education and Training, Government of Western Australia, 2006. Available at: <http://www.dsr.wa.gov.au/index.php?id=471>. Accessed September 15, 2011.
- [19] Hill LJB, Williams JHG, Aucott L, et al. How does exercise benefit performance on cognitive tests in primary-school pupils? *Dev Med Child Neurol* 2011;53:630–5.
- [20] Hollar D, Messiah SE, Lopez-Mitnik G, et al. Effect of a two-year obesity prevention intervention on percentile changes in body mass index and academic performance in low-income elementary school children. *Am J Public Health* 2010;100:646–53.
- [21] Shephard RJ, Lavallee H, Volle M, et al. Academic skills and required physical education: The Trois Rivières experience. *CAHPER J Res Suppl* 1994;1:1–12.

- [22] Davis CL, Tomporowski PD, Boyle CA, et al. Effects of aerobic exercise on overweight children's cognitive functioning: A randomized controlled trial. *Res Q Exerc Sport* 2007;78:510–9.
- [23] Coe DP, Pivarnik JM, Womack CJ, et al. Effect of physical education and activity levels on academic achievement in children. *Med Sci Sports Exerc* 2006;38:1515–9.
- [24] Trudeau F, Shephard RJ. Physical education, school physical activity, school sports and academic performance. *Int J Behav Nutr Phys Act* 2008;5:10.
- [25] Fox CK, Barr-Anderson D, Neumark-Sztainer D, Wall M. Physical activity and sports team participation: Associations with academic outcomes in middle school and high school students. *J Sch Health* 2010;80:31–7.
- [26] Cornelisen T, Pfeifer C. The impact of participation in sports on educational attainment: New evidence from Germany. *Econ Educ Rev* 2010;29:94–103.
- [27] Broh BA. Linking extracurricular programming to academic achievement: Who benefits and why? *Sociol Educ* 2002;75:69–95.
- [28] Wells JC, Hallal P, Reichert F, et al. Sleep patterns and television viewing in relation to obesity and blood pressure: Evidence from an adolescent Brazilian birth cohort. *Int J Obes* 2008;32:1042–9.
- [29] Souza CAM, Vaz AF, Bartholo TL, et al. Difficult reconversion: Football, project, and fate in Brazilian boys. *Horiz Antropol* 2008;14:85–111.
- [30] Ericsson I. Motor skills, attention and academic achievements: An intervention study in school years 1–3. *Br Educ Res J* 2008;34:301–13.
- [31] Jarrett OS, Maxwell DM, Dickerson C, et al. Impact of recess on classroom behavior: Group effects and individual differences. *J Educ Res* 1998;92:121–6.
- [32] Mahar MT, Murphy SK, Rowe DA, et al. Effects of a classroom-based program on physical activity and on-task behavior. *Med Sci Sports Exerc* 2006;38:2086–94.
- [33] Rosenbaum DA, Carlson RA, Gilmore RO. Acquisition of intellectual and perceptual-motor skills. *Annu Rev Psychol* 2001;52:453–70.
- [34] Smith LB, Thelen E, Titzer R, McLin D. Knowing in the context of acting: The task dynamics of the A-not-B error. *Psychol Rev* 1999;106:235–60.
- [35] Burnett MA. "One strike and you're out": An analysis of no pass/no play policies. *High Sch J* 2000;84:1–6.
- [36] Vidal-Fernández M. No pass, no play: The effect of minimum academic requirements to participate in sports on high school graduation. *BEJEAP* 2011;11:article 51.